

Safety Data Sheet

Safety Data Sheet conforms to Regulation (EC) 1907/2006,
 Regulation (EC) 1272/2008 and Regulation (EC) 2020/878,
 US 29CFR1910.1200, Canada Hazardous Products
 Regulation

Date Issued: 22 June 2009
 Document Number: 0021360MS
 Date Revised 25 June 2021
 Revision Number: 6

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled):	Pro-Portion™ General Purpose Ultrasonic Cleaning Solution
Part/Item Number:	21360

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use:	Instrument cleaner
Restrictions on Use:	For professional use only

1.3 Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name:	Sultan Healthcare
Manufacturer/Supplier Address:	1301 Smile Way York, PA, USA
Manufacturer/Supplier Telephone Number:	1-201-871-1232 or 800-637-8582 (Product Information)-
Email address:	customer.service@sultanhc.com

1.4 Emergency Telephone Number:

Emergency Contact Telephone Number:	800-535-5053 (INFOTRAC) 1-352-323-3500 (Outside the United States – Call Collect)
-------------------------------------	---

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the Substance or Mixture:

GHS Classification:		
Health	Environmental	Physical
Eye Damage Category 1 (H318) Skin Irritation Category 2 (H315)	Not Hazardous	Not Hazardous

2.2 Label Elements:



Signal Word: Danger

Contains: Alkyl dimethyl benzyl ammonium chloride, Tetrasodium EDTA

Hazard Phrases	Precautionary Phrases
H315 Causes skin irritation. H318 Causes serious eye damage.	P264 Wash thoroughly after handling. P280 Wear protective gloves, eye protection and face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

2.3 Other Hazards: None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components	C.A.S. # EC#	IUPAC Name	Substance Classification	WT %
Sodium Carbonate	497-19-8	207-838-8 /	Eye Irrit. 2 (H319)	<30
Tetrasodium EDTA	64-02-8	200-573-9 /	Acute Tox. 4 (H302) LD50: 1,780 mg/kg Eye Dam 1 (H318)	<5
Isopropyl Alcohol	67-63-0	200-661-7 /	Flam Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	<5
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	269-919-4 /	Acute Tox 4 (H302) LD50: 344 mg/kg Skin Corr 1B (H314) Eye Dam 1 (H318) Aquatic Acute 1 (H400)	<2

The exact concentration is being withheld as a trade secret.

Refer to Section 16 for the full text of the GHS Classifications.

4. FIRST-AID MEASURES

4.1 Description of First Aid Measures:

Routes of Exposure	First Aid Instructions
Eye	Immediately flush eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get immediate medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation occurs and persists.

Inhalation	If symptoms develop, remove to fresh air. Get medical attention if symptoms develop.
Ingestion	Do not induce vomiting. Rinse mouth with water and give one glass of water to drink. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.
4.2 Most Important Symptoms and Effects, Both Acute and Delayed:	
Causes severe eye irritation or burns. Causes skin irritation. Inhalation of mists may cause mucous membrane and upper respiratory tract irritation or burns with possible pulmonary edema.	
4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:	
If eye contact occurs, get immediate medical attention. If large amounts are swallowed, get immediate medical attention.	

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media	Use media appropriate for surrounding fire.
5.2 Special Hazards Arising from the Substance or Mixture:	
Burning may produce carbon and nitrogen oxides and chlorine compounds.	
5.3 Advice for Fire-Fighters:	
Fire Fighting Procedures/Precautions for Fire Fighters:	Cool fire exposed containers and structures with water. Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:	Wear appropriate protective clothing as described in Section 8. Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation in spill area.
6.2 Environmental Precautions:	Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.
6.3 Methods and Material for Containment and Cleaning up:	Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal.
6.4 Reference to Other Sections:	
Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information.	

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:	
Avoid contact with the eyes and skin. Avoid breathing mists. Wear appropriate protective clothing and equipment. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.	
Empty containers retain product residues and can be hazardous. Follow all SDS precautions when handling empty containers.	
7.2 Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry, well ventilated area away from incompatible materials. Protect from physical damage.	
7.3 Specific End Use (s): For professional use only.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Occupational Exposure Limits:

Sodium Carbonate	None Established
Tetrasodium EDTA	None Established
Isopropyl Alcohol	200 ppm TWA, 400 ppm STEL ACGIH TLV 400 ppm TWA OSHA PEL 400 ppm TWA, 500 ppm STEL UK WEL 400 ppm STEL France WEL 200 ppm TWA, 400 ppm STEL DFG MAK 200 ppm TWA, 400 ppm STEL Belgium OEL
Alkyl dimethyl benzyl ammonium chloride	None Established

Biological Exposure Limits: Acetone in urine: 40 mg/l. End of shift at end of week.

8.2 Exposure Controls:

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Individual Protection Measures (PPE)

Specific Eye/face Protection: Wear chemical safety goggles.

Specific Skin Protection: Wear impervious gloves such as rubber. Recommended glove: Rubber. Consult glove supplier for thickness and breakthrough times.

Specific Respiratory Protection: None should be needed for normal use. If exposure limits are exceeded, an approved respirator with dust/mist cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with applicable regulations and good industrial hygiene practice.

Specific Thermal Hazards: Not applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance:	Clear, blue liquid	Explosive limits:	Not applicable
Odor:	Slight ammonia odor	Vapor pressure:	24 mmHg @ 25°C
Odor threshold:	Not available	Vapor density:	Not available
pH:	11.1 (10% solution)	Relative density:	1.038 @ 25°C
Melting/freezing point:	Not available	Solubility:	Miscible
Initial boiling point and range:	212°F / 100 °C	Partition coefficient: n-octanol/water:	Not available

Flash point:	None determined	Auto-ignition temperature:	None
Evaporation rate:	0.5 (Butyl Acetate = 1)	Decomposition temperature:	Not available
Flammability:	Not flammable	Viscosity:	Not available
Explosive Properties:	None	Oxidizing Properties:	None

9.2 Other Information: None available

10. STABILITY AND REACTIVITY

10.1 Reactivity: Will not polymerize or react dangerously.

10.2 .Chemical Stability: Stable under normal use conditions.

10.3 Possibility of Hazardous Reactions: None known.

10.4 Conditions to Avoid: Avoid high temperatures.

10.5 Incompatible materials: Avoid strong oxidizing agents.

10.6 Hazardous Decomposition Products: Thermal decomposition may produce carbon and nitrogen oxides and chlorine compounds.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eyes: Causes severe irritation or burns with redness, pain, tearing and blurred vision. May cause permanent damage.

Skin: May cause irritation.

Ingestion: Swallowing may cause sore throat, abdominal pain, nausea and irritation to the mouth, throat and stomach.

Inhalation: Inhalation of mists may cause irritation to mucous membrane and upper respiratory tract.

Chronic Health Effects: None known.

Carcinogenicity: None of the components are listed as a carcinogen by IARC, NTP, OSHA, ACGIH or the EU Substances Directive. There is inadequate evidence of carcinogenicity of isopropyl alcohol in humans and animals. Alkyl dimethyl benzyl ammonium chloride: No evidence of carcinogenicity in rats or mice at doses of 1,000 ppm and 500 ppm respectively.

Mutagenicity: Isopropyl Alcohol: In an in-vivo study, isopropanol did not induce micronuclei in bone marrow of mice. Studies conducted in mammalian cells in-vitro, did not induce sister chromatid exchanges or gene mutations. Alkyl dimethyl benzyl ammonium chloride: Not mutagenic in AMES test, forward mutation assay, and unscheduled DNA synthesis assays. Tetrasodium EDTA: Most data indicate that EDTA and its salts are not mutagenic.

Medical Conditions Aggravated by Exposure: Employees with pre-existing eye and skin disorders may be at increased risk from exposure.

Acute Toxicity Data: Acute Toxicity Estimate: Oral 3178 mg/kg

Alkyl dimethyl benzyl ammonium chloride: Oral rat LD50 50-500 mg/mg; Skin rabbit LD50 > 2,000 mg/kg

Sodium Carbonate: Oral Rat LD50 2,880 mg/kg; Inhalation rat LC50 2.3 mg/L/2 hr

Tetrasodium EDTA: Oral Rat LD50 1780 mg/kg; Skin rabbit LD50 >5,000 mg/kg

Isopropyl Alcohol: Oral rat LD50 5,045 mg/kg, Skin rabbit LD50 12,800 mg/kg

Reproductive Toxicity Data: Alkyl dimethyl benzyl ammonium chloride: No effects were observed in reproductive and developmental toxicity studies including a two-generation study in rats. Sodium carbonate: No adverse effects on reproduction have been observed in studies with rabbits, rats or mice. Tetrasodium EDTA: EDTA and its salts have been reported to cause birth defects in laboratory animals only at doses that were toxic to the mother. These effects were likely due to zinc deficiency due to chelation.

Specific Target Organ Toxicity (STOT):

Single Exposure: No data available

Repeated Exposure: Alkyl dimethyl benzyl ammonium chloride: No systemic toxicity was observed in studies with mice, rats and dogs. Isopropyl Alcohol: A 13 week inhalation study with rats found effects of narcosis at 5,000 ppm. These effects were reversible at the cessation of exposure. A 73 week chronic study found male reproductive effects at 2,500 and 5,000 ppm and liver effects at 2,500 ppm.

12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Alkyl dimethyl benzyl ammonium chloride: LC/EC50 values 0.1-1 mg/L

Tetrasodium EDTA: LC50 fish >100 mg/L

Isopropyl Alcohol: 96 hr LC50 Pimephales promelas (fathead minnow) 6.12 mg/L

12.2 Persistence and Degradability: No data available for product.

12.3 Bio-accumulative Potential: No data available for product.

12.4 Mobility in Soil: No data available for product.

12.5 Other Adverse Effects: No data available for product.

12.6 Results of PBT/vPvB Assessment: Not required

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Regulations: Dispose in accordance with local and national environmental regulations.

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: None known.

14. TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
DOT		Not Regulated			No
ADR/RID		Not Regulated			No
IMDG		Not Regulated			No
IATA/ICAO		Not Regulated			No

14.6 Special precautions for user: Not applicable

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable – product is transported only in packaged form.

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): This product is not subject to CERCLA release reporting. Many states have more stringent regulations. Report all spills in accordance with local, state, and federal regulations.

Toxic Substances Control Act (TSCA): All of the ingredients in this product are listed on the EPA TSCA Inventory.

Clean Water Act (CWA): Not Listed

Clean Air Act (CAA): Not Listed

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard:	Yes	Pressure Hazard:	No
Delayed Hazard:	No	Reactivity Hazard:	No
Fire Hazard:	No		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

State Regulations

California: This product contains the following chemical(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components	C.A.S. #	WT %

Formaldehyde	50-00-0	<0.012
--------------	---------	--------

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): Class E (Corrosive)

EU REACH: The substances in this product comply with the EU REACH regulation as applicable.

16. OTHER INFORMATION

Full text of Classification abbreviations used in Section 2 and 3:

C Corrosive
 F Highly Flammable
 N Dangerous for the environment.
 Xi Irritant
 Xn Harmful
 R11 Highly flammable
 R21/22 Harmful in contact with skin and if swallowed.
 R22 Harmful if swallowed.
 R34 Causes burns.
 R36 Irritating to eyes.
 R38 Irritating to skin.
 R41 Risk of serious damage to eyes.
 R50 Very toxic to aquatic organisms.
 R67 Vapours may cause drowsiness and dizziness.

Flam Liq 2 Flammable Liquid Category 2
 Acute Tox. 4 Acute Toxicity Category 2
 Eye Dam 1 Eye Damage Category 1
 Eye Irrit. 2 Eye Irritation Category 2
 Skin Corr 1B Skin Corrosion Category 1B
 STOT SE 3 Specific Target Organ Toxicity Single Exposure Category 3
 Acute Aquatic 1 Aquatic Acute Toxicity Category 1
 Chronic Aquatic 1 Aquatic Chronic Toxicity Category 1

H225 Highly flammable liquid and vapor.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Supersedes: : 12 June 2014
 Revision Summary: Comprehensive review, new logo.

Date of SDS Preparation/Revision: 25 June 2021

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau,ESIS, Country websites for occupational exposure limits.